

Full 5 One Shot!


SB-5000

5 Pocket Fitness Sorter




Why 5 Pocket?

✓ Denomination Sorting



Save sorting time by classifying four denominations at a time.

✓ Face/Orientation Sorting



Sort four directions of the banknotes at once.


✓ Non-Stop Fitness Sorting




- 1 STEP** When first stacker is full, following banknotes go to the second stacker. Thus, it never stops!
- 2 STEP** While the second stacker keeps counting, user removes banknotes of the first stacker.
- REPEAT**
- By allocating two stackers for fit and unfit notes respectively, 5 Pocket made stopless fitness sorting possible.

Full 5 One Shot! SB-5000


Easy Maintenance (Easy Jam Removal)



Detachable OPE Cradle



Full Fitness Sorting Functions



- World's smallest 5 pocket fitness sorter
- Affordable 5 pocket fitness sorter
- Excellent mechanical tape detecting performance
- 5 detecting features (CIS, IR, MR, UV, TAPE detecting sensor)
- Enhanced OCR performances & fitness sorting features
- TITO (Barcode reading)
- Easy maintenance
- Rotatable wheel at the bottom



Saving Installation Space

Patented Rotatable Wheel

SB-5000
SB-5000's patented rotatable wheels at the bottom makes smaller operating space possible.

Other Companies
Other irrotatable machines need bigger operating space.

1m

Additional Functions

Save and send images and texts of serial number

DF 08264311B
DF 08264312B

Save images

DF 08264311B
DF 08264312B

Save texts

PC

Printer

SD card

Network

• Extract, print, and store texts & images of serial number.

TITO (Barcode reading)

Save images

Save barcodes

PC

Printer

• Send barcode info to printer or PC.

• Handles banknotes and tickets simultaneously.

• Useful at Casino, Theater, Bus Terminal, etc.

Sensors

4 readable features (CIS, IR, MR/MG, UV)

CIS (Visible, IR)

Visible

IR

Excellent mechanical tape detecting performance

TAPE Sensor

+Mechanical (Diret Measurement)

Measure Distance (=Thickness)

TAPE

Signal of SBM tape detecting sensor


Mechanical thickness sensor of SBM is less affected by temperature and humidity than Ultrasonic thickness sensor of other companies. Thus, SBM boasts more trustworthy tape detecting capability.

Various Pocket Configuration

CASE 1	CASE 2	CASE 3	CASE 4
ATM	FIT1	FIT1	etc...
FIT1	FIT2	FIT1	
FIT2	UNFIT	FIT1	
UNFIT	UNFIT	UNFIT	

25 config available. Contact for config customization.
More configs are being added.

Excellent Economical Choice



Proven Performance and Quality




Supports up to
12 currency mix

Available currencies

Supports 40+ currencies

(USD, EUR, JPY, CNY, INR,
RUB, GBP, etc.)

More currencies are being added.
Contact for latest available currencies.



SPECIFICATION

Dimension(WxDxH) 317 x 335 x 555 mm

Weight Approx. 35 Kg

Power Supply 100~240V~, 50~60Hz, 2.0 A

Hopper Capacity Approx. 700 Notes

Stacker Capacity Approx. 200 Notes

Reject Capacity Approx. 100 Notes

Counting Speed 700 NPM (CF ON)
1200 NPM (CF OFF)

Interface 3*RS-232(9 Pin D-sub & 2 RJ11)
2*USB, LAN

Bank Note Size W:100~185 H:50~90 mm

Bank Note Thickness 0.07~0.12 mm



Full 5 One Shot!
SB-5000